

PRODUCT FICHE

INDEPENDENT HEAT BOILER

Ideal Heating

ERP DATA

| | SYMBOL | UNITS | | | | |
|--|----------|-------|------|------|------|------|
| | | | 40 | 40P | 60 | 60P |
| Condensing boiler | | | Yes | | | |
| Seasonal Space heating efficiency class | | | A | | | |
| Rated heat output | | kW | 40 | 40 | 60 | 60 |
| Seasonal space heating energy efficiency | η_s | % | 93* | 93* | 93* | 93* |
| Annual energy consumption | Q_{HE} | GJ | 124 | 121 | 186 | 182 |
| Sound power level, indoors | L_{WA} | dB | 55.9 | 55.9 | 57.6 | 57.6 |

| | | | | | | | | | | | | | | | | | | | |
|--|----------|-----------|-----------|----------|----------|-----------|------------|------------|----|----|------|----|----|----|------|----|--|--|---|
| Seasonal Space Heating Energy Efficiency of the Boiler | | *% | A | | | | | | | | | | | | | | | | |
| Temperature control (from fiche of temperature control) | | % | | | | | | | | | | | | | | | | | |
| <table border="1" style="width: 100%; font-size: 0.8em;"> <tr> <td>Class I</td> <td>Class II</td> <td>Class III</td> <td>Class IV</td> <td>Class V</td> <td>Class VI</td> <td>Class VII</td> <td>Class VIII</td> </tr> <tr> <td>1%</td> <td>2%</td> <td>1.5%</td> <td>2%</td> <td>3%</td> <td>4%</td> <td>3.5%</td> <td>5%</td> </tr> </table> | Class I | Class II | Class III | Class IV | Class V | Class VI | Class VII | Class VIII | 1% | 2% | 1.5% | 2% | 3% | 4% | 3.5% | 5% | | | B |
| Class I | Class II | Class III | Class IV | Class V | Class VI | Class VII | Class VIII | | | | | | | | | | | | |
| 1% | 2% | 1.5% | 2% | 3% | 4% | 3.5% | 5% | | | | | | | | | | | | |

Solar Contribution (from fiche of solar device)

Collector Size
(in m²)

Tank Volume
(in m³)

Collector Efficiency
(in %)

Tank rating
A* = 0.95
A = 0.91
B = 0.86
C = 0.83
D-G = 0.81

= ('III' x + 'IV' x) x 0.9 x (/ 100 x) = % C

Seasonal Space Heating Energy Efficiency of Package **TOTAL: A+B+C=** %

Seasonal Space Heating Energy Efficiency Class of Package

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| <input style="width: 30px; height: 30px;" type="checkbox"/> | <input style="width: 30px; height: 30px;" type="checkbox"/> | <input style="width: 30px; height: 30px;" type="checkbox"/> | <input style="width: 30px; height: 30px;" type="checkbox"/> | <input style="width: 30px; height: 30px;" type="checkbox"/> | <input style="width: 30px; height: 30px;" type="checkbox"/> | <input style="width: 30px; height: 30px;" type="checkbox"/> | <input style="width: 30px; height: 30px;" type="checkbox"/> | <input style="width: 30px; height: 30px;" type="checkbox"/> | <input style="width: 30px; height: 30px;" type="checkbox"/> |
| G | F | E | D | C | B | A | A+ | A++ | A+++ |
| < 30% | ≥ 30% | ≥ 34% | ≥ 36% | ≥ 75% | ≥ 82% | ≥ 90% | ≥ 98% | ≥ 125% | ≥ 150% |

The energy efficiency of the package of products provided for in this document may not correspond to its actual energy efficiency once installed in a building, as the efficiency is influenced by further factors such as heat loss in the products in relation to the building size and its characteristics